

## Government Tender Notice

Invitation of Tender Notice No.14,15./Seri/Eng/PCR / DARJ (Plain)/2022-23

Sealed Tenders are invited by the Executive Engineer, Sericulture, West Bengal, 45, Ganesh Chandra Avenue,(2<sup>nd</sup> floor),Kolkata-13 for the following works under PCR in the district Darjeeling from the contractors of P.W.D., P. W.D social sector Directorate as well as from the bonafide experienced and resourceful outside contractors having experienced in such type of works.

| Sl.No. | N.I.T No. | Name of the Work  | Estimated Cost  | Earnest Money | Place of Work.                             |
|--------|-----------|---|-----------------|---------------|--|
| 1.     | 14        | Repairing of Grainage Building (1 <sup>st</sup> floor) at Matigara Sericulture Comp[lex, Darjeeling.                      | Rs. 1,16,205.00 | Rs.2905.00    | Matigara Sericulture Comp[lex, Darjeeling. |
| 2.     | 15        | Construction of Drain for outlet of Rain water from Matigara Sericulture Complex to Panchayet Drain Matigara, Darjeeling. | Rs. 99,733.00   | Rs. 2493.00   | -do-                                       |

Tender papers (NIT), Form-2911(ii) etc. may be obtained/downloaded from [seriwbgov.org](http://seriwbgov.org) at free of cost. The Earnest money to be deposited only through **GRIPS Portal** in favour of the **Commissioner of Textiles (Sericulture), West Bengal** under the Head “ 8443-00-103-00-001-0-07-00”. Bank Draft, N.S.C. or K.V.P. will not accepted.

|  |   |
|--|---|
| Last date & time of submission of Tender | 05.07.2022 upto 3-00 P.M. at Head Quarters, Kolkata.  |
| Date & time of opening of Tender         | 05.07.2022 after 3-30 P.M. at Head Quarters, Kolkata. |

Tender should be submitted/dropped in the box kept at Head Quarters, Kolkata and papers should be arranged in the following manner.


**Envelop - I**, should be superscribed as Technical Bid for N.I.T No SL No. ... of Work, Name of agency and it should contain (Self Attested) PAN Card. Last I.T. Return, valid GSTIN Registration, P.Tax Challan, Credential (similar nature of work at about 60% of Tender Value) EMD ,electrical & supervisory licence etc. and sealed.

**Envelop - II**, should be super scribed as Financial Bid for N.I.T .No. SL No.... of Work, Name of Agency and should contain filled in - 2911 (ii) quoting the Rate including all applicable Taxes etc in specified place and Sealed.

Above 2(two) envelopes as noted above (I & II) should be put in a bigger envelop and sealed. Agency should write clearly N.I.T. No., Name of Work, SL. No. of work with Name of Agency, submitted the bid on this Envelope and drop the same at the tender box in this office within the time limit specified at the table above. Rate should be quoted including all taxes and incidental charges. All the original copies are to be presented for verification as demanded.

Technical Bid will be opened first. Financial Bid will be opened only if the technical Bid is found acceptable. G.S.T. and Labour cess will be deducted from bill value as per Govt. Rules. The details may be seen in the Office of the **Commissioner of Textiles(Sericulture), West Bengal**, 45, Ganesh Ch, Avenue (2nd floor),Kolkata-13 on any working days and web site [seriwbgov.org](http://seriwbgov.org). The **Commissioner of Textiles (Sericulture), West Bengal** reserves the right to reject/cancel all the quotations without showing any reasons thereof. If any date as above happens to be holidays the next working days will be considered as stipulated date. Acceptance of lowest Quotation is not obligatory.

The Earnest money to be deposited only through **GRIPS Portal** in favour of the **Commissioner of Textiles (Sericulture), West Bengal** under the Head “ 8443-00-103-00-001-0-07-00”. Acceptance of lowest Quotationer is not obligatory. Notwithstanding anytime contained in this Notice Inviting Quotation, the other terms & conditions and special terms & conditions will remain binding upon all concerned.

  
Executive Engineer,  
Directorate of Sericulture  
West Bengal.

Memo No. 276(B) Seri/Eng/PCR/DRJ(P)/1(Vol-V)

Dated, 20/6/2022

Copy forwarded for information & necessary action to :-

1. The Joint Director of Sericulture, Siliguri, Darjeeling.
2. The Notice Board of this Directorate, Headquarters, Kolkata.
3. Website of this Directorate of Sericulture, West Bengal.

Executive Engineer,  
Directorate of Sericulture  
West Bengal



| Priced Schedule for the Repairing of Grainage building ( 1st floor) at Matigara Sericulture Complex, Matigara, Darjeeling. |   |          |      |         |          |
|--|---|----------|------|---------|----------|
| Sl.no  | Description of work   | Quantity | Unit | Rate    | Amount   |
| 1  | Stripping off worn out plaster and raking out joints of walls, celings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed  | 45.00    | Sqm  | 19.00   | 855.00   |
| 2  | Dismantling artificial stone flooring upto 50 mm thick by carefully chiselling without damaging the base and removing rubbish as directed within a lead of 75 m   | 20.00    | Sqm  | 62.00   | 1240.00  |
| 3  | Supplying and laying true to line and level vitrified tiles of approved brand (size not less than 600 mm X 600 mm X 10 mm thick) in floor, skirting etc. set in 20 mm sand cement mortar (1:4) and 2 mm thick cement slurry back side of tiles using cement @ 2.91Kg./sqM or using polymerised adhesive (6 mm thick layer applied | 20.00    | Sqm  | 1695.00 | 33900.00 |
| 4  | Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor).[Excluding cost of chipping over concrete                                       | 45.00    | Sqm  | 169.00  | 7605.00  |
| 5  | Rendering the Surface of walls and ceiling with White Cement base WATER PROOF wall putty of approved make & brand.(1.5 mm thick)  | 68.00    | Sqm  | 122.00  | 8296.00  |
| 6  | Applying Interior grade Acrylic Primer of approved quality and brand on plastered or concrete surface old or new surface to receive Distemper/ Acrylic emulsion paint including scraping and preparing the surface thoroughly, complete as per manufacturer's specification and as per direction of the EIC. (In Ground Floor)    | 68.00    | Sqm  | 33.70   | 2291.60  |
| 7  | Synthetic Distemper to interior wall, ceiling with a coat of solvent based interior grade acrylic primer (as per manufacturer's specification) including cleaning and smoothing of surface.<br>Two Coats  | 68.00    | Sqm  | 68.00   | 4624.00  |
| 8  | Supplying, fitting and fixing gunmetal wheel valve of approved brand and make tested to 21 kg per sq. cm. (for water lines only). 25 mm dia   | 1.00     | Each | 778.00  | 778.00   |
| 9  | (ii) Chromium plated Bib Cock long body with wall flange with aerator (Equivalent to Code No. 512 & Model - Tropical / Sumthing Special of ESSCO or similar brand)  | 1.00     | Each | 659.00  | 659.00   |

|    |   |       |      |           |         |
|----|---|-------|------|-----------|---------|
| 10 | (b) (i) Chromium plated Stop Cock (Equivalent to Code No. 513(A) & 513(B) & Model - Tropical / Sumthing Special of ESSCO or similar   | 2.00  | Each | 493.00    | 986.00  |
| 11 | Supplying, fitting and fixing PVC pipes of approved make of Schedule 80 (medium duty) conforming to ASTM D - 1785 and threaded to match with GI Pipes as per IS : 1239 (Part - I), with a complete in all respect including   | 20.00 | m    | 129.00    | 2580.00 |
| 12 | -- do -- 15 mm dia  | 10.00 | m    | 101.00    | 1010.00 |
| 13 | Supplying, fitting and fixing white vitreous china best quality approved make wash basin with C.I. brackets on 75 mm X 75 mm wooden blocks, C.P. waste fittings of 32 mm dia., one approved quality brass C.P. pillar cock of 15 mm dia., C.P. chain with rubber plug of 30 mm dia., approved quality P.V.C. waste pipe with C.P. nut 32 mm dia., 900 | 1.00  | Each | 2208.00   | 2208.00 |
| 14 | Supplying, fitting and fixing cast iron extension pipes for using in Traps only (connector) conforming to I.S.3989/2009 and 1729/2002 including lead caulked joints complete and painting two coats to the exposed  | 2.00  | Each | 555.00    | 1110.00 |
| 15 | Supplying, fitting and fixing Anglo-Indian W.C. in white glazed vitreous china ware of approved make complete   | 1.00  | Each | 3287.00   | 3287.00 |
| 16 | Supplying, fitting and fixing Closet seat of approved make with lid and C.P. hinges, rubber buffer and brass screws complete.   | 1.00  | Each | 485.00    | 485.00  |
| 17 | Supplying, fitting and fixing bevelled edged mirror 5.5 mm thick silver red as per I.S. 3438 / 1965 together with brass C.P. hinges.  | 1.00  | Each | 484.00    | 484.00  |
| 18 | Supplying, fitting and fixing towel rail with two brackets.   | 1.00  | Each | 430.00    | 430.00  |
| 19 | Supplying, fitting and fixing Comod spray type pipe connected with Holder best quality  | 1.00  | Each | 1451.00   | 1451.00 |
| 20 | Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete, C.I. brackets including two coats of painting to bracket etc.  | 1.00  | Each | 1015.00   | 1015.00 |
| 21 | S.F and Fixing Exhaust Fan 200 mm dia   | 1.00  | Each | 1800      | 1800.00 |
| 22 | Wood work in door and window frame fitted and fixed in position complete including a protective coat of painting at the contact surface of the frame excluding cost of concrete, Iron Butt Hinges and M.S clamps. (The quantum should be corrected upto three decimals).  | 0.05  | Cum  | 56,199.00 | 2866.15 |



|    |  |       |      |  |           |
|----|--|-------|------|--|-----------|
| 23 | Panel shutters of door and window, as per design (each panel consisting of single plank without joint), including fitting and fixing the same in position but excluding the cost of hinge and other fittings. In ground floor. | 2.50  | Sqm  | 2948.00  | 7370.00   |
| 24 | (b) Priming one coat on timber or plastered surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering etc.   | 30.00 | Sqm  | 38.00  | 1140.00   |
| 25 | A) Painting with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface, if necessary                        | 30.00 | Sqm  | 81.00  | 2430.00   |
| 26 | Iron butt hinges of approved quality fitted and fixed with steel screws, with ISI mark. (vi) 100mm. X 50mm. X 1.25mm.  | 6.00  | Each | 43.00  | 258.00    |
| 27 | Labour for taking out door and window frame including shutter for repair or replacement of different parts of the frame & refixing the same including mending good all damaes complete.  | 2.00  | Each | 119.00   | 238.00    |
| 28 | Supply fitting, fixing cast iron down pipes conforming to IS:3989-1970 and IS:1729-1964 in position with necessary clamps, nails including making hole in wall, floor etc. and cutting trenches in any soil through            | 20.00 | m    | 572.00   | 11440.00  |
|    |  |       |      |  | 102836.75 |
|    |  |       |      | Add 12 % as G S T  | 12340.41  |
|    |  |       |      | Add 1 % as Labour welfare Cess                             | 1028.37   |
|    |  |       |      | TOTAL  | 116205.53 |
|    |  |       |      | RS. 1,16,205.00  |           |
|    |  |       |      | ( Rupees One lakhs sixteen thousand two hundred five only) |           |

  
**Executive Engineer**  
**Directorate of Sericulture**  
**West Bengal**