## 9

## Government Tender Notice

## Invitation of Tender Notice Nos. 115,116,117,118/Seri/Eng/Civil/PCR/PRR/2019-'20.

Sealed Tenders are invited by the Executive Engineer, Sericulture, West Bengal, 45, Ganesh Chandra Avenue, (2<sup>nd</sup> floor), Kolkata-13 for the following works in the district of Purulia from the bonafide experienced and resourceful contractors having experienced in such type of works in pure Govt. Department / Zilla Parishad.

NIT	Name of the Work	Estimated Cost	Earnest Money	Place of Work.	Time of completi	
115	Repairing of Rearing house cum Inspection room at Ayodhya Hills, Purulia under PCR.	Rs. 3,77,266.00 (Rupees Three Lakh Seventy Seven thousand Two hundred sixty six)only	Rs. 9435.00 (Rupees nine tousand Four hundred Thirty Five) only.	Ayodhya Hills, Purulia	date of	
116	Repairing of Rearing house at Jamgudu, Ayodhya Hills, Purulia under PCR.	Rs. 4,45,186.00 (Rupees Four lakhs forty five thousand one hundred eighty six )only.	Rs. 11,130.00 (Rupees Eleven thousand one hundred thirty) Only	Jamgudu , Ayodhya Hills, Purulia	(One) month from the date issue of Work Order.	
117	Repairing of Grainage building at Narayangarh, Purulia under PCR.	Rs. 1,55,754.00 (Rupees one lakh fifty five thousand seven hundred fifty four)only.	Rs. 3895.00/- (Rupees three thousand eight hundred ninety five)only.	Narayangarh, Purulia	1 (One) m issue	
118	Antitermite treatment for Rearing house no. 1 at Jamgudu and Rearing house cum Inspection room at Ayodhya Hills, Purulia under PCR.	Rs. 77,818.00 (Rupees seventy seven thousand eight hundred eighteen)only.	Rs. 1945.00 (Rupees one thousand ninet hundred fortyfive)only.	Ayodhya Hills, Purulia		

Tender papers (NIT), Priced Schedule & Form-2911(ii) etc. may be obtained/downloaded from

seriwbgov.org at free of

cost.

Last date & time of submission of Tender	04.02.2020 upto 3-00 P.M. at Head Quarters, Kolkata.
Date & time of opening of Tender	04.02.2020 upto 3-30 P.M. at Head Quarters, Kolkata.

Tender should be submitted / dropped in the box kept at Head Quarters, Kolkata and papers should be arranged in the following manner.

Envelop - I, should be superscribed as Technical Bid for N.I.T No.....SL No. of Work, Name of agency and it should contain (Self Attested) PAN Card. Last I.T. Return, valid GSTIN Registration, P.Tax Challan, Credential (similar nature of work at about 60% of Tender Value) EMD & etc., Pest control licence for NIT no. 118 etc. and sealed.

Envelop - II, should be super scribed as Financial Bid for N.I.T. No....... SL No. of Work, Name of Agency and should contain filled in - 2911 (ii) quoting the Rate and Sealed.

2(two) envelopes as noted above (I & II) should be put in a bigger envelop and sealed. Agency should write clearly N.I.T. No., Name of Work, SL.No. and Name of the Agency on this Envelope and drop the same as per schedule mentioned in this N.I.T.

Technical Bid will be opened first. Financial Bid will be opened only if the technical Bid is found acceptable.

Labour Cess will be deducted from bill value as per Govt. Rules. All original copies are to be shown for verification. The details may be seen in the Office of the Commissioner of Textiles (Sericulture), West Bengal, 45, Ganesh Ch, Avenue (2nd floor), Kolkata-13 on any working days and web site *seriwbgov.org*. The Commissioner of Textiles (Sericulture), West Bengal reserves the right to reject/cancel all the applications without showing any reasons thereof. If any date as above happens to be holidays the next working days will be considered as stipulated date. Acceptance of lowest tender is not obligatory.

N.S.C./ K.V.P. will not be accepted as Earnest Money. Only the Bank Draft of a Nationalised Bank will be considered as Earnest money. Acceptance of lowest Tender is not obligatory.

Notwithstanding anytime contained in this Notice Inviting Tender, the other terms & conditions and special terms & conditions will remain binding upon all concerned.

Executive Engineery Directorate of Sericulture,
West Bengal.

. 140	. Description of work	Unit	Quantity	Hills, Purulia ( Rate	Amount
1					7 1110 0110
9	Dismantling all types of plain cement concrete				
_	works, stacking serviceable materials at site and removing				
	rubbish as directed within a lead of 75 m.	Cum	6.00	939.00	5634.0
2	8				
41	thick by carefully chiselling without damaging the base and				
	removing rubbish as directed within a lead of 75 m.				
		Sqm	130.00	50.00	6500.0
3	Stripping off worn out plaster and raking out		9		
	joints of walls, celings etc. upto any height and in any floor				
	including removing rubbish within a	4			
	lead of 75m as directed.	Sqm	120.00	19.00	2280.0
4	Taking out shutter of door and window, dismantling by			23.00	2200.0
	parts (for repair or replacement of damaged parts),				
	reassembling and refitting and rehanging same				
		Sqm	33.00	126.00	4158.0
5					
	position complete including a protective coat of painting at the contact surface of the frame. (h) Neem, Jam,				
	Jackfruits	C	0.44	F 440 4 00	
		Cum	0.11	54104.00	5680.9
6					
	Panel shutters of door and window, as per design (each				
	panel consisting of single plank without joint),iii) 35mm				
	thick shutters with 19mm thick panel of size 30 to 45 cm.	Sqm	5.45	2789.00	15200.0
7					
	Supplying, fitting & fixing of 2-Track / 3-Track Aluminium				
	sliding Window of all Aluminium sections viz. window				
	frame (top,bottom & side frame), shutter.	Kg	160.00	448.00	71680.0
8					
	window frame made of flat				
	bent bar,	Each	12.00	29.00	348.0
S	Iron butt hinges of approved quality fitted and fixed with steel screws, with ISI mark.vi) 100mm. X 50mm. X				
	1.25mm.	F l-	12.00	42.00	
1.0		Each	12.00	43.00	516.0
10	1				
	Iron hasp bolt of approved quality fitted and fixed				
	complete (oxidised) with 16mm dia rod 300 mm long	Each	2.00	166.00	332.0
11					
	continuously welded with M.S, W.I. Flats and bars of windows,	1/	04.00	72.20	
12		Kg	94.00	72.38	6803.7
12	Supplying bubble free float glass of approved make and				
	brand conforming to IS: 2835-1987. 5 mm thick	Sqm	23.00	585.00	12455 (
13		34111	23.00	363.00	13455.0
10	down	Cum	6.00	5911.04	35466.2
14	Plaster to wall floor ceiling etc. with sand and cement		0.00	3311.04	33400.2
	morter (1:4), 15 mm thick	Sqm	70.00	149.00	10430.0
15	Plaster to wall floor ceiling etc. with sand and cement			210100	10 130.0
	morter (1:4), 10 mm thick	Sqm	60.00	121.00	7260.0
16		· ·			
	Artificial stone in floor, dado etc. with cement				
	5 V 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	C	120.00	242.00	
17		Sqm	130.00	313.00	40690.0
17	6 99 99 99 99 99	Care	250.00	40.44	60.45
10	Applying Exterior grade Acrylic primer of approved quality	Sqm	350.00	18.14	6349.0
TS					
	and brand on plastered or cencrete surface old or new				1

4	Protective and Decorative Acrylic exterior emulsion paint					
	of approved quality, as per manufacturer's specification and as per direction	Sqm	270.00	84.00	22680.00	
20	Priming one coat on steel or other metal surface with					
	synthetic oil bound primer	Sqm	120.00	29.00	3480.00	
21	Priming one coat on timber or plastered surface with synthetic oil bound primer	Sqm	33.00	38.00	1254.00	
22		Sqiii	33.00	30.00	1254.00	
22	Painting with best quality synthetic enamel paint of	Sqm	120.00	79.00	9480.00	
23		94111	120.00	73.00	3 100.00	
2 23	Painting with best quality synthetic enamel paint of		£1			
	approved make and brand On timber or plastered surface :	Sqm	33.00	81.00	2673.00	
24	S.F and fixing steel fly proof net to windowsand					
	doors with PVC casing bracket fixed in wall by		·c			
	screws complete.	Sqm	45.00	1395.00	62775.00	
25	Collapsible gate with 40mm x 40mm x 6mm					
	Tee as top and bottom guide rail, 20mm x					
	10mm x 2mm vertical channels 100mm apart in					
	fully stretched position 20mm x 5mm M.S. flats					
	as collapsible bracings . and making good					
	damages complete.					
		Sqm	3.60	3402.00	12247.20	
26	S.F and fixing best Indian sheet glass panes 3					
	mm thick set in putty and nails	Sqm	2.00	477.00	954.00	
27	,					
	S.F and fixing dividing strips 3 mm thick 20 mm			5		
	wide set with cement morter (1:3) complete.	m	75.00	18.00	1350.00	
					358154.13	
	Add 10 % extra as Hill rate.		358154.00	0.10	35815.40	
					393969.53	
	Add. 12 % as G S T		393970.00	0.12	47276.40	
	Add. 1 % as Labour Welfare Cess		393970.00	0.01	3939.70	
					445185.63	
	( Rupees Four lakhs forty five thousand one hundred eighty six only.					
	· · · · · · · · · · · · · · · · · · ·					

Executive Engineer
Directorate of Sericulture
West Bengal