## GOVERNMENT TENDER NOTICE

## Invitation of Tender Notice No.118,120 & 121/SERI/PCR/BIR/2017-18.

Sealed quotations are invited by the Executive Engineer, Directorate of Textiles (Sericulture). West Bengal, 45, Ganesh Chandra Avenue (2nd floor), Kolkata-13 for the Electrical works in Birbhum district from the enlisted contractors of P.W.D. (Elec.), CB Directorate, as well as from the bonafide experienced and resourceful outside contractors having experience in such type of works in Goyt. Department / Zilla Parishad.

| NIT<br>No. | Name of the Work.   | Estimated Cost   | Earnest<br>Money  | Place of<br>Work.                                 | Time of completion of work.                                  |
|------------|---|--|---|---|--|
| 118        | Repairing and Re-installation of 6-HP Sub-<br>merssible Pump Motor set at Kotasur Sericulture<br>Complex, Birbhum under P.C.R.  | Rs.72.212/- (Rupees seventy two thousand two hundred twelve)only.              | Rs.1,810 - (Rupees one thousand eight hundred ten) only.                | Kotasur<br>Sericulture<br>Complex,<br>Birbhum.    | I (one) month<br>from the date<br>of issue of<br>Work Order. |
| 120        | Installation of P.V.C. Pipe-line to connect with<br>the existing Pipe-line to Newly installed Sub-<br>merssible Pump at Sriniketan Sericulture<br>Complex, Bolpur, Birbhum under P.C.R. | Rs.1.15.112/- (Rupees one lakh fifteen thousand one hundred twelve) only.      | Rs.2.880/- (Rupees two thousand eight hundred eighty) only.             | Sriniketan<br>Sericulture<br>Complex,<br>Birbhum. | -do-   |
| 121        | White washing and painting etc. for 1(one) No.Staff Qtr. and inspection Bunglow at Sriniketan Sericulture Complex. Bolpur. Birbhum under P.C.R.   | Rs.75,141/-<br>Rupees Seventy five<br>thousand one hundred<br>forty one) only. | Rs.1.880/-<br>(Rupees one<br>thousand eight<br>hundred eighty)<br>only. | , -do-  | -do-   |

The quotation Papers (N.I.Q., Schedule of Works, & Form: 2911(i/ii) etc.) may be obtained/downloaded from *seriwbgov.org* at free of cost. Duly filled quotation to be submitted/dropped in the Box kept at Head Quarters, Kolkata and papers should be arranged in the following manner.

Envelope - I, should be superscribed as Technical Bid for N.I.O.No......, Sl.No..... of Work. Name of the Agency and it should contain copy of Self Attested i) PAN Card. (ii) Last I.T. Return. (AY 2016-17) (iii) GST IN Registration Certificate which is valid for the current period, (iv) Professional Tax Clearance and Challan for the last financial year, (v) Credential for Similar nature of work at about 60% of Tender value) and Electrical Supervisory License and E.M.D. Sealed.

Envelope - II, should be super scribed as Financial Bid for N.I. O. No. ..., Sl.No. of Work, Name of Agency and should contain filed on 2911 (ii) quoting in Rate both in figure and words, and Sealed.

2(two) Envelopes as noted above (I & II) should be put in a bigger Envelope and sealed. Agency should write clearly N.I.Q. No..... Name of Work, SL. No. and Name of Agency on this Envelope and drop the same as per scheduled mentioned in this N.I.Q.

|  | 001   |
|--|---|
| Laşt date and time of submission of Tender | 02-04-2018 at 3-00 P.M. at Headquarters, Kolkata. |
| Date of opening of Tender                  | 02.04.2018 at 3-30 P.M. at Headquarters, Kolkata. |

Technical Bid will be opened first. Financial Bid will be opened only if the Technical Bid is found acceptable.

Labour Cess will be deducted from Bill value as per Govt. Rules. All original copies are to be shown for verification. The details may be seen in the Office of the Commissioner of Textiles (Sericulture), West Bengal 45, Ganesh Ch. Avenue (2nd floor), Kolkata - 13 on any working days and in website: seriwbgov.org.

N.S.C./K.V.P. will not be accepted as Earnest Money. Only the Demand Draft / Bankers Cheque of a Nationalized Bank will be considered.

The Commissioner of Textiles (Sericulture), West Bengal reserves the right to reject/accept all the applications without showing any reasons thereof. If any date as above happens to be holiday the next working day will be considered as stipulated date. Acceptance of lowest Tender is not obligatory.

Notwithstanding anything contained in this N.I.Q., the general and other terms and conditions will be binding upon all concerned.

Directorate of Textiles (Sericulture),

West Bengal.

Contd.../2..

## Price schedule for white washing and painting etc. at one no. staff qtr. And Bungalow at Sriniketan Sericulture Comp. Unit. Bolpur under PCR.

| .,         | Sericulture Comp. Unit, Bolpur unde  | r PCR. |         |            | W.       |
|------------|--|--------|---------|------------|----------|
| SI.<br>No. | Description of Item  | Unit   | Rate    | Quantity   | Amount   |
| 140.       | White washing including cleaning and smoothening surface thoroughly.   |        |         |            |          |
| 1.0        | Two coats  | -      |         |            |          |
|            |  | Sqm.   | 18.14   | 150.00     | 2721.00  |
| 2.0        | Painting with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface, if necessary:  On timber or plastered surface:  With super gloss (hi-gloss) -  |        |         |            |          |
|            | Two coats (with any shade except white)  | Sqm.   | 81.00   | 45.00      | 3645.00  |
| 3.0        | Protective and Decorative Acrylic exterior emulsion paint of approved quality, as per manufacturer's specification and as per direction of EIC to be applied over acrylic primer as required. The rate includes cost of material, labour, scaffolding and all incidental charges but excluding the cost of primer.  In Ground floor (Two Coat) Super Protective 100% Acrylic Emulsion.   |        | /       |            |          |
|            |  | Sqm.   | 97.00   | 90.00      | 8730.00  |
| 4.0        | Retro reflecting marking (cold applied)  Supplying fitting and fixing in position approved P.V.C. door frame (Matt   | Sqm.   | 349.00  | 70.00      | 24430.00 |
| 5.0        | finish) made of extruded P.V.C. multichamber hollow section having dimensions 60mm x 50mm x 2mm (+/- 0.2mm), horizontal section will be joined with vertical section by galvanised steel screws after inserting two number steel brackets as reinforcement making suitable space for placing hinges, one steel tube 40mm x 20mm x 1.20 mm will be inserted on one full vertical side of the frame (hinge side) as reinforcement, the frame will then be fixed in the opening with the help of P.V.C. expandable fastner/wooden gutties and galvanised steel screws including cost of all materials and labour, hire charges of tools and appliances, carriage of all materials, taxes and all other incidental charges complete. |        |         |            |          |
|            |  | Mtr    | 305.00  | 5.00       | 1525.00  |
| 6.0        | PVC Door Shutter-30 mm thick: Supplying fitting and fixing P.V.C. door shutter of approved quality & shade in position, the style & rail of the P.V.C. door shutter will be made of rigid P.V.C. multicavity hollow chamber of 59 mm x30 mm section with 2.0 mm (+/-0.2 mm) wall thickness.and 2 nos. of 6 mm dia bright rod will be inserted horizontally with both side check and nut system and stretches where fixing of hinges / hasp bolt / tower bolt / door ring are required to be strong enough to with stand wear and tear. The rate is inclusive of cost of all materials, labour, and hire of tools and plants and appliancesi/c carriage of all materials taxes and all other incidental charges complete.         | Sqm.   | 1943.00 | 1.55       | 3012.00  |
|            | Ordinary Cement concrete (mix 1:1.5:3) with graded stone   |        | -       |            |          |
| 7.0        | chips (20 mm nominal size) excluding shuttering and reinforcement if any, in ground floor as per relevant IS codes.  (i) Pakur Variety   | Cum.   | 5600.98 | 1.90       | 10642.00 |
| 8.0        | Supplying, fitting and fixing white vitreous china best quality approved make wash basin with C.I. brackets on 75 mm X 75 mm wooden blocks, C.P. waste fittings of 32 mm dia., one approved quality brass C.P. pillar cock of 15 mm dia., C.P. chain with rubber plug of 30 mm dia., approved quality P.V.C. waste pipe with C.P. nut 32 mm dia., 900 mm long approved quality P.V.C. connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved  |        |         |            |          |
|            | paint.<br>550mm. x 400 mm.   | Each   | 2208.00 | 1          | 2208.00  |
|            | 330mm. X 100 mm.   | Lacii  | 2200.00 | <u>←</u> ⊥ | 2200.00  |

Executive Engineer,
Directorate of Textiles (Sericulturte),
West Bengal

| 9.0  | Supplying, fitting and fixing PVC pipes of approved make of (medium duty) conforming to ASTMD - 1785 and threaded to match with GI Pipes as per IS : 1239 (Part - I). with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbo, nipple, longscrew, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including cutting pipes, making threads, fitting, fixing etc. complete in all respect including cost of all necessary fittings as required, jointing materials and two coats of painting with approved paint in any position above ground.  |       |         |      |         |
|------|---|-------|---------|------|---------|
|      |   | metre | 129.00  | 5.00 | 645.00  |
| 10.0 | Supplying, fitting and fixing Orissa pattern water closet in white glazed vitreous chinaware of approved make in position complete excluding 'P' or 'S' trap (excluding cost of concrete for fixing).  a ) 530 mm X 410 mm  | Each  | 1522.00 | 1    | 1522,00 |
|      | <b>b</b> ) 110/110 S Trap   | Each  | 552.00  | 1    | 552.00  |
|      | Constructing Inspection pit of inside measurement 600mm X 600mm X upto 600mm (depth) with 250 mm thick 1st. class brick work in cement mortar (1:4) on all sides, bottom of the pit consisting of 100 mm thick cement concrete (1:3:6) with stone chips over a layer of jhama brick flat soling,15 mm thick (1:4) cement plaster to inside walls and out-side walls upto G.L. and 20 mm.thick (1:4) plaster to bottom of the pit, providing necessary invert with cement concrete (1:3:6) with stone chips as per direction, neat cement finishing to entire internal surfaces, top of the pit covered with 100 mm thick R.C.C. slab (1:1.5:3) with stone chips and necessary reinforcements upto 1% and shuttering including 6 mm thick cement plaster (1:4) in all external surfaces of the slab and one 560 mm dia. R.C.C. manhole cover of approved make supplied, fitted and fixed in the slab with necessary fittings, necessary earthwork in excavation in all sorts of soil, filling sides of the pit with earth and removing spoils after work complete in all respect with all costs of labour and materials. With Pakur variety. |       |         |      |         |
|      |   | Each  | 6054.00 | 1    | 6054.00 |
| 12.0 | Artificial stone in floor, dado, staircase etc with cement concrete (1:2:4) with stone chips, laid in panels as directed with topping made with ordinary or white cement (as necessary) and marble dust in proportion (1:2) including smooth finishing and rounding off corners including raking out joints or roughening of concrete surface and application of cement slurry before flooring works using cement @ 1.75 kg/sq.m all complete including all materials and labour.  In ground floor.  35 mm. thick   |       |         |      |         |
|      | 133 HHH. HHCK   |       |         |      |         |

₹ 66426.00 Add 12% GST as applicable (+) ₹ 7971.00

₹ 74397.00

Add 1% as Labour wellfare cess(+) ₹ 744.00

Total ₹ 75141.00

Rupees SeventyFive Thousand One Hundred FourtyOne Only

Executive Engineer,
Directorate of Textiles (Sericulturte),
West Bengal

ey 2 HM 8